



REXROTH BEARINGS DEVELOPMENT LTD

150 mm x 225 mm x 35 mm NTN 6030ZZ deep groove ball bearings



Bearing No. 6030ZZ

6030ZZ Bearing 2D drawings and 3D CAD models

Size	150x225x35 mm
Bore Diameter	150 mm
Outer Diameter	225 mm
Width	35 mm
d	150 mm
D	225 mm
B	35 mm
C	35 mm
r min.	2,1 mm
da min.	161 mm
da max	169 mm
Da max.	214 mm
ra max.	2 mm
Weight	4,08 Kg
Basic dynamic load rating (C)	126 kN
Basic static load rating (C0)	126 kN
(Grease) Lubrication Speed	2 800 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	4.08
EAN	4547359551457
Product Group	B00308
Enclosure	2 Metal Shields



REXROTH BEARINGS DEVELOPMENT LTD

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	150MM Bore; 225MM Outside Diameter; 35MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6030ZZ/2A
Weight / LBS	8.99
Outside Diameter	8.858 Inch 225 Millimeter
Bore	5.906 Inch 150 Millimeter
Outer Race Width	1.378 Inch 35 Millimeter
bore diameter:	150 mm
closure type:	Double Shielded
outside diameter:	225 mm
internal clearance:	CN
overall width:	35 mm
manufacturer upc number:	4547359551457
bore type:	Round



REXROTH BEARINGS DEVELOPMENT LTD